



11/06/00

Customer No. 000959

A

Case Docket No. XXT-063 (D/AO130)

THE ASSISTANT COMMISSIONER FOR PATENTS
 Box Patent Application
 Washington, D.C. 20231

"Express Mail" Mailing Label Number EL 373 209 637 US

Date of Deposit November 3, 2000

I hereby certify that this transmittal letter and the papers referred to as being enclosed therein are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Ilidio P. Cardoso

Please Print Name of Person Signing



Sir:

Transmitted herewith for filing is the patent application of

Inventor(s): Sudhendu Rai, Ashok v. Godambe, Charles B. Duke, Guy H. Williams

For: PRINTSHOP RESOURCE OPTIMIZATION VIA THE USE OF AUTONOMOUS CELLS

Enclosed are:

- This is a request for filing a continuation divisional application under 37 CFR 1.53(b), of pending prior application serial no. _____ filed on _____ entitled _____.
- 8 pages of specification, 4 pages of claims, 1 pages of abstract.
- 7 sheets of drawings (Figures 1-7).
- A Declaration, Petition and Power of Attorney
- An assignment of the invention to Xerox Corporation. A recordation form cover sheet (Form PTO 1595) is also enclosed.
- A verified statement to establish small entity status under 37 C.F.R. 1.9 and 37 C.F.R. 1.27.
- Other _____

The filing fee has been calculated as shown below:

(Col. 1)	(Col. 2)
FOR:	NO. FILED
BASIC FEE	//////////
TOTAL CLAIMS	22 - 20 = 2
INDEP. CLAIMS	3 - 3 = 0
<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS PRESENTED	

* If the difference in Col. 2 is less than zero,
 enter "0" in Col. 2.

SMALL ENTITY	
RATE	FEES
//////////	\$
x 9=	\$
x 40	\$
+135	\$
TOTAL	0

OTHER THAN
SMALL ENTITY

OR	RATE	FEES
OR	//////////	\$ 710
OR	x 18=	\$ 36
OR	x 80	\$ 0
OR	+270	\$
OR	TOTAL	\$746.00


- Please charge Deposit Account No. **24-0037** in the amount of \$ **\$746.00**.
 A duplicate copy of this sheet is enclosed.
- A check in the amount of \$ to cover the filing fee is enclosed.
- The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. **24-0037**.
 A duplicate copy of this sheet is enclosed.
- Any additional filing fees required under 37 C.F.R. 1.16.
- Any patent application processing fees under 37 C.F.R. 1.17.

- The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. 12-0080.
A duplicate copy of this sheet is enclosed.
- Any patent application processing fees under 37 C.F.R. 1.17.
- The issue fee set in 37 C.F.R. 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).
- Any filing fees under 37 C.F.R. 1.16 for presentation of extra claims.
- An authorization for the amount of \$ 40.00 to cover the recording of assignment document is attached on the Assignment Recordation Cover Sheet.
- Address all future communications (May only be completed by applicant, or attorney or agent of record) to Kevin J. Canning, Esq. at **Customer Number: 000959** whose address is:

Lahive & Cockfield, LLP
28 State Street
Boston, Massachusetts 02109

Date: November 3, 2000

LAHIVE & COCKFIELD, LLP
Attorneys at Law

By 
Kevin J. Canning, Esq.
Reg. No. 35.470
28 State Street
Boston, MA 02109
(617) 227-7400
Telecopier (617) 742-4214

PRINTSHOP RESOURCE OPTIMIZATION VIA THE USE OF AUTONOMOUS CELLS

Technical Field of the Invention

5 The present invention relates generally to printing and more particularly to optimization of printshop resources via the use of autonomous cells.

Background of the Invention

Conventional printshops are organized in a fashion that is functionally independent of print job complexity, print job mix, and total volume of print jobs. Typically, related equipment is grouped together. Thus, all printing equipment is grouped and located in a single locale. Similarly, all finishing equipment is grouped and located in a single locale. In other words, conventional printshops organize resources into separate departments, where each department corresponds to a type of process or operation that is performed to complete a print job.

When a print job arrives from a customer, the print job sequentially passes through each department. Once the print job is completely processed by a first department, the print job gets queued for the next department. This approach continues until the print job is completed. Unfortunately, this conventional approach leads to significant time delays and increased work-in-progress and inventory costs.

Summary of the Invention

The present invention addresses the above-described limitations. In accordance with one embodiment of the present invention, a printshop is partitioned into 25 autonomous cells. In addition, print jobs are partitioned into classes such that each autonomous cell contains sufficient resources to complete a print job of at least one class. Thus, for example, an autonomous cell may include equipment, such as multiple printers, a shrink wrapper and a computerized control system. A second autonomous cell may include different varieties of printers, cutters and copiers. The present 30 invention intelligently divides the resources into autonomous cells and then assigns print jobs to the autonomous cells.

The assignment of print jobs to autonomous cells is done intelligently to provide desired load balancing and throughput. Moreover, print jobs are assigned to cells based on whether the cells have sufficient types of resource to complete the print job. The 35 assignment of print jobs to the autonomous cells may be determined dynamically based upon the current queue of print jobs, current available capacity and current operating loads of the respective autonomous cells. The structure and composition of the cells

themselves may be determined dynamically based upon the profile of jobs to be performed by the printshop at any given time.

In accordance with one aspect of the present invention, a method is practiced in a printshop having resources for performing various tasks. The resources are divided into 5 autonomous cells, where each autonomous cell has sufficient resources to produce one or more classes of print job. Each print job is assigned to one of the cells for printing.

In accordance with another aspect of the present invention, a printshop is partitioned into autonomous cells, and a print job is received for printing at the printshop. The print job is sent to a selected one of the autonomous cells that has 10 equipment for completing the print job. Alternatively, the print job may be divided into lots and the lots are concurrently processed either on separate items of equipment in the selected autonomous cell or in separate cells.

In accordance with another aspect of the present invention, a method is practiced for partitioning a printshop into autonomous cells. Products that are to be produced by 15 the printshop are identified, and the operations required for each of the identified products are specified. A determination is made to specify the printshop resources that are received or required for the identified operations. A determination is also made to specify the printshop resources that are required for operations to produce the product based on customer demand for the products. The printshop resources are partitioned 20 into autonomous cells based on the determined number of printshop resources required for operations to produce products based on customer demand for products. Each autonomous cell is independently capable of producing at least one of the identified products. This partition is re-examined and re-optimized repeatedly as the customer demand for products changes.

25

Brief Description of the Drawings

An illustrative embodiment of the present invention will be described below relative to the following drawings.

FIGURE 1 is a flow chart that provides an overview of steps that are performed 30 in the illustrative embodiment of the present invention.

FIGURE 2 is a flow chart that illustrates the steps that are performed to generate a graphical representation of job flow.

FIGURE 3 is an example of a graphical representation of printshop resources in accordance with the illustrative embodiment.

35 FIGURE 4 is a flow chart that illustrates the steps that are performed to partition printshop resources into autonomous cells from the job flow representation.

FIGURE 5 is a diagram depicting how a printshop is partitioned into four autonomous cells.

FIGURE 6 is a flow chart illustrating the steps that are performed to determine whether to reconfigure the autonomous cells of a printshop.

5 FIGURE 7 is a flow chart illustrating steps that are performed in determining whether to assign a print job to a particular autonomous cell in the illustrative embodiment.

Detailed Description of the Invention

10 The illustrative embodiment of the present invention provides an approach to partitioning resources in a printshop efficiently so as to optimize performance of the printshop. Printshop resources, such as printers, copiers, cutters, shrinkwrappers and other varieties of equipment, are partitioned into autonomous cells. When a print job arrives, it is assigned to a particular autonomous cell for completion. Each autonomous
15 cell may act independently from the other autonomous cells in processing a print job. Print jobs may be partitioned into smaller-sized lots that are concurrently processed by autonomous cells in order to optimize the efficiency and throughput of each autonomous cell. Moreover, multiple print jobs may be processed concurrently by an autonomous cell, and multiple print jobs may be executed concurrently by multiple autonomous cells
20 in parallel.

Printshop resources are intelligently divided into autonomous cells. An analysis is made of print jobs that are typically performed by a printshop. Each type of print job is classified into a print job class according to the resources required to execute it. A print job class may be depicted graphically as a set of operations that are connected by edges representing the sequence of flow of operations in the print job. The capacity of each of the pieces of equipment in the printshop to perform operation is determined. The capacity for each print job class needed to meet the customer requirements is determined. The printshop resources may then be organized into autonomous cells and used during operation in an optimal fashion

25 30 Figure 1 shows a flow chart that provides an overview of steps performed in the illustrative embodiment of the present invention. Initially, the expected job flow in a printshop is collected and analyzed to determine the types (“classes”) of jobs to be performed and the number of each per unit time (step 102 in Figure 1). The printshop is analyzed to design and propose autonomous cells into which the printshop resources
35 may be divided so as to optimize the flow of jobs through the shop (step 104 in Figure 1). Each autonomous cell represents a grouping of one or more resources in the printshop that is capable of executing at least one class of print job. The autonomous

cell may be able to complete the execution of multiple classes of print jobs or even all of the classes of print jobs. The partitioning of the resources into autonomous cells will be described in more detail below. A "printshop," as used herein, refers to a grouping of resources used in completing a print job. A printshop may be part of a corporation, a

5 free-standing shop, or other variety of organization.

Once the printshop resources have been divided into proposed autonomous cells, the proposed "virtual" cell configuration is tested and evaluated (step 106 in Figure 1). This testing and evaluation helps to ensure that the virtual cell configuration works well and produces acceptable results. If the proposed virtual cell configuration does not

10 produce acceptable results (see step 108 in Figure 1), the above-described process repeats again beginning with step 104 so as to design and propose new autonomous cells.

If the results are acceptable (see step 108 in Figure 1), then a detailed cell layout is constructed (step 110 in Figure 1). The workflow within the print job is restructured to correspond with the cell layout. Scheduling algorithms are then constructed as well

15 (step 112 in Figure 1). Once this is completed, the use of the autonomous cells becomes formally implemented (step 114 in Figure 1). The physical layout of the printshop may be restructured to account for the autonomous cells (step 116 in Figure 1).

In order to facilitate proper operation of the printshop to account for the use of

20 autonomous cells, printshop personnel must be properly trained (step 118 in Figure 1). The printshop personnel must perform necessary tasks and must understand how the cells operate. The initial execution within the printshop is monitored to ensure that performance is acceptable (step 120 in Figure 1). The scheduling algorithms may be tuned up to produce more optimal results in the response to the monitoring (step 122 in

25 Figure 1).

Figure 2 is a flow chart illustrating steps that are performed to produce a graphical representation of the job flow in the printshop. This job flow depicts operations performed by resources in the printshop. Printshop resources include equipment, such as printers, copiers, rollers, shrinkwrappers, sealers and other varieties

30 of equipment that are typically used to complete a print job. Those skilled in the art will appreciate that a wide variety of different types of equipment may be categorized as printshop resources, being included within autonomous cells in the illustrative embodiment. For example, manual resources may be partitioned as part of an autonomous cell.

35 In the illustrative embodiment of the present invention, the partitioning of the printshop into autonomous cells relies upon empirical data. The empirical data is gathered over a period of time, such as a few months or years, to identify the varieties of

print jobs that are performed on the behalf of customers at a printshop (step 202 in Figure 2). The print jobs may be classified into print job classes. For example, the print job classes may be print-insert, print and self-mail, and print and shrink wrap. Each print job class represents a sequence of operations that need to be performed by 5 printshop resources to complete a print job of the specified class. Thus, print jobs that require the exact same sequence of operations are classified into the same printshop class. Accordingly, a first step is to classify the empirically-derived data regarding print jobs so that each of the print jobs is classified into one of the given print job classes (Step 204 in Figure 2). Operations are determined for each print job class (step 206 in 10 Figure 2). In other words, the operations that are performed for print jobs of the print job class are identified. Then, the aggregate demand for each operation is determined from the empirical data (step 208 in Figure 2).

A graphical representation of each print job class is developed by analyzing the flow between operations (step 210 in Figure 2). In particular, each print job operation is 15 represented as a node and each edge constitutes a transition from one operation to a next that is required for a variety of print job class. Figure 3 shows an example of such a graphical representation of three varieties of print job classes. A first print job class is represented by nodes 302, 304, 306 and 312. These nodes 302, 304, 306 and 312 and the associated edges specify a sequence of operations to be performed to complete a 20 print job of the specified print job class. A second print job class is represented by nodes 302, 304, 308 and 312 and the associated edges interconnecting these nodes. A third and final print job class is represented by nodes 302, 304, 310 and 312 and the associated edges.

Figure 4 shows in more detail the steps that are performed to design and propose 25 autonomous cells (see step 104 in Figure 1). The job flow graph is partitioned into autonomous cells (step 400 in Figure 4). A suitable form of graph partitioning algorithm for performing this partitioning is specified in, "A concurrent approach to cell formation and assignment of identical machines in group technology," N. Wu, International Journal of Production Research, 1998, Vol. 36, No. 8; 2099-2114. Those skilled in the 30 art will appreciate that the cells may also be partitioned using other techniques. The autonomous cells that result from the partitioning of the job flow graph are then mapped onto the physical layout of the printshop (step 402 in Figure 4).

Figure 5 shows an example of the partitioning of a printshop into autonomous cells. The printshop 560 shown in Figure 4 is partitioned into four cells numbered 1 35 through 4. Cell 1 includes printers 562, 564 and 566 and copiers 576, 578 and 580. Each of the copiers has an attached inserter 570, 572 and 574. A cutter 568 is also included in cell 1, as are computing resources 582, 584 and 586. The computing

resources may include server computers that execute software for automatically assigning print jobs to given cells and for processing print jobs once they have arrived in given cells. Moreover, the computing resources 582, 584 and 586 may provide the ability of operators to control operation of the equipment within the cell.

5 Cell 2 includes a computer system 592 and a highlight printer 590. Cell 3 includes a printer 594 as well as a sealer 598 and computer system 596. Lastly, cell 4 includes a shrink wrapper 503, a computer system 505, a printer 507 and a roll system 509.

10 The resulting partitioning and mapping of autonomous cells is evaluated by computer simulation (step 404 in Figure 4). The computer simulation attempts to simulate real-time printshop operation conditions. Certain constraints may be placed upon the autonomous cells. In step 406 of Figure 4, a determination made whether the constraints have been satisfied and whether the flow of operations between autonomous cells is minimal. In general, a cell should be self-contained such that there is no need for 15 a cell to communicate with another cell in order to complete a print job. If the inter-cell flows are small and the constraints are satisfied (see step 406 in Figure 4), the resulting cell layout and job class mapping algorithm are utilized. On the other hand, if the inter-cell flows are not small and the constraints are not satisfied, the inter-cell flow metric is revised to capture constraints in a different way (step 408 in Figure 4).

20 Figure 6 is a flow chart illustrating the steps that are performed when a print job is received in a printshop that has been organized into autonomous cells. Initially, a print job is received at the shop (Step 602 in Figure 6). The submission of the print job may be performed by a customer walking into the printshop and making a verbal request for a print job. Alternatively, the print job may be received electronically. The 25 specification of the print job identifies the tasks that are to be performed to complete the print job. This specification may also identify the timing required of the print job and particular features that are to be incorporated into the print job, such as type of printing to be used, type of stock to be used, whether binding is to be used and the like. The print job is analyzed to identify the operations that it requires and the quantity of 30 operations that are required by the job (step 604 in figure 6). A determination is made whether the print job can fit into an existing cell (step 606 in Figure 6). If the print job will fit into an existing cell, a cost estimate and a schedule for printing the print job are prepared (step 608 in Figure 6). If the cost and the schedule are acceptable to both the printshop and the customer (step 610 in Figure 6), the job is accepted (step 614 in Figure 35 6). If they are not acceptable to the printshop and/or the customer, the print job is rejected (step 612 in Figure 6). If the print job is accepted, it is assigned to an

autonomous cell (step 616 in Figure 6) and subsequently sent to the autonomous cell (step 618 in Figure 6).

If in step 606 of Figure 6 it is determined that the print job does not fit into an existing cell, a determination is made whether it is feasible to have a new mapping onto the existing cells (step 620 in Figure 6). If it is feasible, such a mapping is performed so as to use existing cells (step 622 in Figure 6). If it is not feasible to map the print job onto the existing cells using a different mapping, an assessment of the print job value is made and an assessment is made of the reconfiguration cost which would be associated with reconfiguring the autonomous cells (step 624 in Figure 6). A cost estimate and schedule are prepared for performing the job in the reconfigured printshop (step 626 in Figure 6). If the cost and schedule are not acceptable to both the printshop and the customer (see step 628 in Figure 6), the print job is rejected (step 630 in Figure 6). In contrast, if the cost and schedule are acceptable to both the print job and to the customer, the printshop is reconfigured (step 632 in Figure 6). In particular, a new mapping of autonomous cells is generated. The print job is then assigned to one of the cells (step 634 in Figure 6) and sent to the associated cells (step 636 in Figure 6).

A number of different criteria may be applied to determine which autonomous cell to assign to a received print job. Figure 7 provides a flow chart illustrating an approach as adopted by the illustrative embodiment to the present invention. The cells may be examined in a predefined sequence, such as a round robin sequence or based upon utilization. For example, the process depicted in Figure 7 may initially begin with the least busy cell and continue with successively more busy cells until a suitable cell is found for processing the print job. Thus, initially, the cell of interest is examined (step 700 in Figure 7). First, a determination is made whether the cell has the proper resources for completing the print job (step 702 in Figure 7). For example, if a print job requires shrinkwrapping in the shop described in Figure 5 then cell 4 is used. Only cell 4 has a shrinkwrapper, and, thus, cells 1, 2 and 3 do not have the proper resources for completing the print job. A test may then be made whether the cell has sufficient available capacity to complete the print job within specified time requirements (step 704 in Figure 7). If a cell does not have enough capacity to print the print job in a timely fashion, then the cell may not be utilized to complete the print job. Those skilled in the art will appreciate that other criteria may also be applied (see step 706 in Figure 7) to determine whether to assign a print job to a given cell or not. In cases where the examined cells can not be used, a next cell is then examined (step 708 in Figure 7) until either it is validated that no suitable cell is available (step 707 in Figure 7) or until a suitable cell is found. If a suitable cell is found, the print job is assigned to the

examined cell (step 710 in Figure 7). If no suitable cell can be found, the alternatives are examined as described in Figure 6.

While the present invention has been described with reference to an illustrative embodiment thereof, those skilled in the art will appreciate that various changes in form and detail may be made without departing from the intended scope of the present invention as defined in the appended claims.

Claims

5 1. In a printshop having resources for performing various tasks, a method, comprising the steps of:

dividing the resources into autonomous cells, wherein each cell has sufficient resources to produce a print job; and

10 assigning each print job to a respective one or more of the cells for printing.

15 2. The method of claim 1 wherein the resources include equipment for performing printing tasks.

20 3. The method of claim 1 wherein the step of assigning print jobs comprises, for each given print job, determining what tasks need to be performed to complete the given print job and assigning the given print job to one of the autonomous cells that has resources for performing the tasks that need to be performed to complete the given print job.

25 4. The method of claim 3 wherein the step of assigning print jobs comprises, for each given print job, determining which of the autonomous cells has sufficient available capacity to print the given print job.

30 5. The method of claim 1 wherein at least one of the autonomous cells includes more than one machine for performing a same operation.

6. The method of claim 1 further comprising the steps of:

determining classes of print jobs;

35 assigning each print job to one of the classes.

7. The method of claim 6 wherein the determination of the class of print jobs is done based on collecting and analyzing print job data.

8. The method of claim 6 wherein the step of assigning each print job to a
5 respective one of the cells for printing is based in part on the classes to which the print
jobs are assigned.

9. The method of claim 1 wherein a selected one of the cells is assigned multiple
print jobs for concurrently printing the multiple print jobs.

10

10. A method, comprising the steps of:

providing a printshop that is partitioned into autonomous cells, each cell
containing sufficient resources to complete a print job;

15

receiving a print job for printing at the printshop;

sending the print job to a selected one of the autonomous cells having
equipment for completing the print job; and

20

at the selected autonomous cell, dividing the print job into lots and
concurrently processing the lots on separate items of the equipment in the
selected autonomous cell.

25

11. The method of claim 10 wherein each cell contains multiple pieces of equipment
for completing a print job.

12. The method of claim 10 wherein the printshop has more than two autonomous
cells.

30

13. The method of claim 10 wherein the lots are roughly equal sized.

14. The method of claim 10 wherein the dividing step is performed automatically by
a machine.

35

15. The method of claim 14 wherein the machine is a computer system.

16. A method of partitioning a printshop into autonomous cells, comprising the steps of:

identifying products produced by the printshop;

5

identifying operations required for producing each of the identified products;

10

determining printshop resources that are required for the identified operations;

determining a number of printshop resources required for operations to produce the products based on customer demand for products; and

15

partitioning printshop resources into autonomous cells based on the determined number of printshop resources required for operations to produce products based on customer demand for products, wherein each autonomous cell is independently capable of producing at least one of the identified products.

20

17. The method of claim 16 wherein throughput of each autonomous cell is determined as a function of the printshop resources allocated to the autonomous cell, and wherein the printshop resources are allocated to each autonomous cell based on customer demand.

25

18. The method of claim 16 wherein the step of identifying products comprises identifying classes of print jobs produced by the printshop, wherein each class includes a sequence of operations that is performed for print jobs of the class that differs from the sequence of operations performed for each of the other classes.

30

19. The method of claim 16 wherein customer demand is estimated based on empirical data.

20. The method of claim 16 further comprising the step of assigning a print job to a selected one of the autonomous cells for completion by the selected autonomous cell.

35

21. The method of claim 20 further comprising the step of dividing the print job into smaller sized lots and concurrently processing the smaller sized lots in the selected autonomous cell.
- 5 22. The method of claim 20 wherein the assigning step is performed by a computer system.

ABSTRACT

A printshop contains resources that are utilized to complete print jobs. The
5 resources are partitioned into autonomous cells. Each autonomous cell is capable of
completing at least one class of print job. Print jobs are assigned to the autonomous
cells for completion. An autonomous cell may subdivide a print job into smaller sized
lots and process the smaller size lots in parallel. This approach enhances the efficiency
of the shop, decreases the work in progress, labor and inventory costs associated with
10 running the print jobs and increases the utilization of the printing equipment in the
printshop.

卷之三




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7.

Customer Number: 000959
Attorney's
Docket
Number XXT-063

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**PRINTSHOP RESOURCE OPTIMIZATION VIA
THE USE OF AUTONOMOUS CELLS**

the specification of which

is attached hereto OR

was filed on _____ as U.S. Application Serial No. _____

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims.

I acknowledge the duty to disclose information which is material to the patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim priority benefits under Title 35, United States Code, §119 of any foreign or U.S. Provisional application(s) for patent listed below, and have also identified below any foreign application(s) or Provisional application(s) for patent having a filing date before that of the application on which priority is claimed:

Prior Foreign or U.S. Provisional Application(s)

(Number) (Country) (Day/Month/Year Filed)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following registered practitioners to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

James E. Cockfield	Reg. No. 19,162	Nicholas P. Triano III	Reg. No. 36,397
Thomas V. Smurzynski	Reg. No. 24,798	Peter C. Lauro	Reg. No. 32,360
Ralph A. Loren	Reg. No. 29,325	DeAnn F. Smith	Reg. No. 36,683
Giulio A. DeConti, Jr.	Reg. No. 31,503	William D. DeVaul	Reg. No. 42,483
Ann Lamport Hammitte	Reg. No. 34,858	David J. Rikkers	Reg. No. 43,882
Elizabeth A. Hanley	Reg. No. 33,505	Chi Suk Kim	Reg. No. 42,728
Amy E. Mandragouras	Reg. No. 36,207	Maria Laccotripe Zacharakis	Limited Recognition Under 37 C.F.R. § 10.9(b)
Anthony A. Laurentano	Reg. No. 38,220	Debra J. Milasincic	Reg. No. 46,931
Jane E. Remillard	Reg. No. 38,872	David R. Burns	Reg. No. 46,590
Jeremiah Lynch	Reg. No. 17,425	Sean D. Detweiler	Reg. No. 42,482
Kevin J. Canning	Reg. No. 35,470	Peter S. Stecher	Reg. No. P47,259
Jeanne M. DiGiorgio	Reg. No. 41,710	Adam M. Goodmann	Reg. No. 43,640
Megan E. Williams	Reg. No. 43,270	Mark Costello	Reg. No. 31,342
John E. Beck	Reg. No. 22,833	Eugene O. Palazzo	Reg. No. 20,881
Serge Abend	Reg. No. 24,152	John M. Kelly	Reg. No. 33,920
Richard B. Domingo	Reg. No. 36,784		
Henry Fleischer	Reg. No. 25,582		

DECLARATION AND POWER OF ATTORNEY, continued

Send Correspondence to Kevin J. Canning, Esq. at **Customer Number: 000959** whose address is:
Lahive & Cockfield, LLP, 28 State Street, Boston, MA 02109

Direct Telephone Calls to:
Kevin J. Canning, (617) 227-7400

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name sole or first inventor:	<u>Sudhendu Rai</u>	
Inventor's Signature	<u>Sudhendu Rai</u>	Date: <u>Oct. 26, 2000</u>
Residence:	<u>6 Mildenhall Ridge, Fairport, New York, 14450</u>	
Citizenship	<u>India</u>	Post Office Address: (Same as Above)
Name second inventor:	<u>Ashok V. Godambe</u>	
Inventor's Signature	<u>Ashok Godambe</u>	Date: <u>October 26, 2000</u>
Residence:	<u>142 Oakshire Way, Pittsford, New York, 14534</u>	
Citizenship	<u>United States of America</u>	Post Office Address: (Same as Above)
Name third inventor:	<u>Charles B. Duke</u>	
Inventor's Signature	<u>Charles B. Duke</u>	Date: <u>Oct. 26, 2000</u>
Residence:	<u>1168 Hidden Valley Trail, Webster, New York, 14580</u>	
Citizenship	<u>United States of America</u>	Post Office Address: (Same as Above)
Name fourth inventor:	<u>Guy H. Williams</u>	
Inventor's Signature	<u>Guy H. Williams</u>	Date: <u>Oct. 16, 2000</u>
Residence:	<u>1076 Franklin Ave., Webster, N.Y. 14580</u>	
Citizenship	<u>USA</u>	Post Office Address: (Same as Above)